

PRODUCT CATALOGUE

Techlem Stretchers delivers tailored patient handling solutions to hospital sites and clinics around the world.





TABLE OF CONTENTS

ABOUT US
ANATOMY OF THE TECHLEM STRETCHER2 - 3
TRANSPORT & GENERAL USE 5000
BARIATRIC 5000BR
EXTENDED STAY 5000W
FIXED HEIGHT 1100 / 1000N
PATIENT LIFT 7600
TRAUMA & X-RAY 5000XR
FOLD RAIL 450010
COMPACT 4500N / 4500NS 11
GYNAECOLOGY 4500GYN12
CADAVER & BARIATRIC CADAVER
COLOR GUIDE
I.V. STAND 8012A15
OEM REPLACEMENT MATTRESSES 16 - 17
CUVERRO SHIELD BY AEREUS 18 - 19
ACCESSORIES GUIDE

ABOUT US

For 60 years, Techlem has provided patient handling solutions to hospitals and clinics around the world. From our first stretcher prototype to our most recent full hospital outfit, we've strived for value, efficiency, and care. Our products are proudly North American made with the highest quality components, delivering industry best costs of ownership.


Our passionate staff work tirelessly to produce durable, high quality products with customer service to match. We create unique, user-friendly catalogs for our supply chain partners, bridging the gap between purchasers and end-users. Why choose to partner with Techlem? Because of our commitment to finding the most useful, cost effective, and personalized catalog program for every customer. Why choose Techlem stretchers? Because in quality control, durability, cost of ownership, and value over time, they are the envy of the industry.

We value our 60 years of partnerships. We have a dedicated staff with more than 100 combined years' experience in the industry, and nearly 100 years' combined service to Techlem.

Our unshakably caring corporate culture is our pride. We extend this culture in well established, long lasting relationships with customers in the Americas, Europe, Asia, and Australia. We maintain a commitment to a same or next-day response time, and to a highly competitive turnaround time at every step of the purchase process, from quotation to invoicing. We offer personal, conscientious customer service unmatched in the industry.



ANATOMY OF THE TECHLEM STRETCHER



Anatomy Of The Techlem Stretcher - 3



TRANSPORT & GENERAL USE 5000

The premier Techlem stretcher for transport and general use features an integrated oxygen tank holder and patient storage, 5th Wheel technology for steering assist, and more than 20 customizable options for design and functionality.



*See page 14 for color accent options

DIMENSIONS

TOTAL DIMENSIONS: 81" x 321/2" LITTER DIMENSIONS: 81" x 291/2" FULL LENGTH SIDE-RAILS: 75" x 121/2" HIGH DENSITY FOAM MATTRESS: 76" x 281/2" x 3" *WEIGHT CAPACITY: 700LBS / 318KG

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 351/2" HANDS-FREE TRENDELENBERG: +18° TO -18° PNEUMATIC ASSIST FOWLER: 0° TO 90° 8" ALL-SURFACE, LOCKING CASTERS ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM DROP UNDER SIDE-RAILS

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER **OPTIONAL:** VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER



BARIATRIC 5000BR

Reliable, nimble, and equipped with Techlem's 5th Wheel tehnology and high tensile components.



DIMENSIONS

TOTAL DIMENSIONS: 81" X 351/2" LITTER DIMENSIONS: 81" X 32" FULL-LENGTH SIDE RAILS: 75" X 16" HIGH-DENSITY FOAM MATTRESS: 76" X 32" *WEIGHT CAPACITY: 750LBS / 341KG

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 32" HANDS-FREE TRENDELENBERG: +12° TO -12° ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM PNEUMATIC ASSIST FOWLER: 0° TO 90° 8" ALL-SURFACE, LOCKING CASTERS DROP UNDER SIDE-RAILS OPTIONAL FOUR-SIDED ACCESS

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER **OPTIONAL:** VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER



EXTENDED STAY 5000W

Versatile, functional, and comfortable. Our extended stay stretcher is equipped with extra-wide frame, DROP UNDER side-rails, and Techlem's distinguished Viscolastic mattress technology.



*See page 14 for color accent options

DIMENSIONS

TOTAL DIMENSIONS: 81" x 35^{1/2"} LITTER DIMENSIONS: 81" x 32" MATTRESS DIMENSIONS: 76" x 32" WEIGHT CAPACITY: 700LBS / 318KG

MOVEMENT

HANDS-FREE TRENDELENBERG: +15° TO -15° ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM PNEUMATIC ASSIST FOWLER: 0° TO 90° 8" ALL-SURFACE, LOCKING CASTERS DROP UNDER SIDE-RAILS OPTIONAL FOUR-SIDED ACCESS

MATTRESS

PRESSURE SENSITIVE FOAM MATTRESS WITH VISCOLASTIC, FOUR-WAY STRETCH COVER



FIXED HEIGHT 1100 / 1000N

Techlem's value stretcher option, our fixed height stretcher is equipped with many of the same features as our transport stretcher, without the adjustable height.



1100 DIMENSIONS

TOTAL DIMENSIONS: 81" X 32^{1/2"} MATTRESS DIMENSIONS: 75" X 28^{1/2"} WEIGHT CAPACITY: 700LBS / 318KG

1100N (NARROW) DIMENSIONS

TOTAL DIMENSIONS: 81" X 29" MATTRESS DIMENSIONS: 75" X 25" WEIGHT CAPACITY: 700LBS / 318KG

MOVEMENT

HANDS-FREE TRENDELENBERG: +18° TO -18° ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM PNEUMATIC ASSIST FOWLER: 0° TO 90° 8" ALL-SURFACE, LOCKING CASTERS DROP UNDER SIDE-RAILS

MATTRESS

FULL WIDTH, HIGH DENSITY FOAM MATTRESS WITH A CONDUCTIVE COVER





PATIENT LIFT 7600

Simple and efficient in design, our patient lift and transfer stretcher is adaptable to your clinical environment. Handcrafted from high grade materials, the 7600 is highly durable, maintaining its form and function over decades of use.



*See page 14 for color accent options

FRAME DIMENSIONS

OUTSIDE DIMENSIONS: 77" x 31" INSIDE DIMENSIONS: 74" x 24^{1/2"} WEIGHT CAPACITY: 300LBS / 138KG

MOVEMENT

HEIGHT ADJUSTMENT: 30" TO 42" 5" ALL-SURFACE, LOCKING CASTERS 5TH WHEEL FOR STEER ASSIST CRANK HANDLE FOR EASE OF USE

SPECIAL FEATURES

HIGH DENSITY PATIENT TRANSFER SHEET HIGH GRADE STEEL SHEET BUCKLES TELESCOPING I.V. POLE INCLUDED



For use in trauma and X-Ray environments. Equipped with a fiber resin film surface and high density radiolucent mattress. A Techlem total-view design, with full surface accessibility for cassette placement.





DIMENSIONS

TOTAL DIMENSIONS: 81" X 32^{1/2"} LITTER DIMENSIONS: 81" X 28^{1/2"} MATTRESS DIMENSIONS: 75" X 29" X 3" DROP-RAIL SIDE-RAILS: 60^{1/2"} X 12^{1/2"} ***WEIGHT CAPACITY:** 700LBS / 318KG

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 35^{1/2"} HANDS-FREE TRENDELENBERG: +18° TO -18° PNEUMATIC ASSIST FOWLER: 0° TO 90° DROP UNDER SIDE-RAILS 8" ALL-SURFACE, LOCKING CASTERS ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM

MATTRESS

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE



FOLD RAIL 4500

Reliable, mobile, and accessible. Our fold-rail stretcher is built on the same, durable chassis as the 5000, and is equipped with collapsing side-rails for unobstructed, foursided access for medical professionals.



*See page 14 for color accent options

4500 DIMENSIONS

TOTAL DIMENSIONS: 81" x 32^{1/2}" LITTER DIMENSIONS: 81" x 28^{1/2}" MATTRESS DIMENSIONS: 75" x 29" x 3" DROP-RAIL SIDE-RAILS: 60^{1/2}" x 12^{1/2}" **WEIGHT CAPACITY:** 700LBS / 318KG

MOVEMENT

HEIGHT ADJUSTMENT: 22" TO 35^{1/2"} HANDS-FREE TRENDELENBERG: +18° TO -18° PNEUMATIC ASSIST FOWLER: 0° TO 90° FOLD DOWN SIDE-RAILS 8" ALL-SURFACE, LOCKING CASTERS ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM

MATTRES

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER OPTIONAL: VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER

COMPACT 4500N / 4500NS

Highly adaptable, our compact stretcher is suited to your small-space, clinical environment. Provides many of the same features as the 4500, including collapsing side-rails. Available in narrow and short & narrow.



4500N (NARROW) DIMENSIONS

NARROW

TOTAL DIMENSIONS: 81" X 29" LITTER DIMENSIONS: 81" X 25" MATTRESS DIMENSIONS: 78" X 25" X 3" WEIGHT CAPACITY: 500LBS / 227KG

4500NS (SHORT & NARROW) DIMENSIONS

SHORT & NARROW TOTAL DIMENSIONS: 74" X 29" LITTER DIMENSIONS: 74" X 25" MATTRESS DIMENSIONS: 74" X 25" X 3" WEIGHT CAPACITY: 500LBS / 227KG

MOVEMENT

HEIGHT: 22" TO 35^{1/2"} HANDS-FREE TRENDELENBERG: +18° TO -18° ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM PNEUMATIC ASSIST FOWLER: 0° TO 90° 8" ALL-SURFACE, LOCKING CASTERS DROP UNDER SIDE-RAILS

MATTRESS

STANDARD: HIGH DENSITY FOAM MATTRESS WITH CONDUCTIVE COVER OPTIONAL: VISCOLASTIC, PRESSURE SENSITIVE MATTRESS, WITH FOUR-WAY, ELASTATEX STRETCH COVER

Compact 4500N / 4500NS - 11



GYNAECOLOGY 4500GYN

For use in obstetrics and gynaecology, the 4500GYN stretcher is equipped with a two-piece sectional, Viscolastic mattress. Versatile, it boasts supine to fullchair positioning with pneumatic assist for ease of use.



*See page 14 for color accent options

DIMENSIONS

TOTAL DIMENSIONS: 78" x 32" COLLAPSIBLE SIDE RAILS: 48" x 12" SECTIONAL MATTRESS DIMENSIONS: 74" x 26" x 4" WEIGHT CAPACITY: 700LBS / 318KG

MOVEMENT

SLIDING TOP DECK: STRETCHER TO CHAIR SUPINE TO FULL CHAIR POSITIONING INTEGRATED, ADJUSTABLE HEEL STIRRUPS HEIGHT ADJUSTMENT: 24" TO 36^{1/2}" HANDS-FREE TRENDELENBERG: +18° TO -18° PNEUMATIC ASSIST FOWLER: 0° TO 90° PNEUMATIC ASSIST LEG SECTION: 0° TO 105° 8" ALL-SURFACE, LOCKING CASTERS ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM

MATTRESS

SECTIONAL, PRESSURE SENSITIVE FOAM MATTRESS WITH VISCOLASTIC, FOUR-WAY STRETCH COVER



CADAVER & BARIATRIC CADAVER 5000C & 5000BRC

Featuring flap access for personal belongings, and an easyclean base with integrated storage, our cadaver stretcher is a simple, functional design for use in cadaver handling up to 600lbs (C) or 750lbs (BRC).



DIMENSIONS (5000C)

TOTAL DIMENSIONS: 78" X 29" RECESSED LITTER: 77" X 29" CANOPY: 76" X 28" X 14" WEIGHT CAPACITY: 700LBS / 318KG

DIMENSIONS (5000BRC)

TOTAL DIMENSIONS: 81" X 32" RECESSED LITTER: 80" X 32" CANOPY: 80" X 32" X 24" **WEIGHT CAPACITY:** 750LBS / 341KG


MOVEMENT

HEIGHT: 22" TO 35^{1/2}"(C) OR 22" TO 32" (BRC) ACCU-STEER 5TH WHEEL POSI-LOCK BRAKING SYSTEM 8" ALL-SURFACE, LOCKING CASTERS OPTIONAL FOUR-SIDED ACCESS

SPECIAL FEATURES

-VINYL CANOPY COVER WITH FLAP ACCESS -LIGHTWEIGHT, REMOVABLE CANOPY FRAME -STAINLESS STEEL RECESSED LITTER SHEET

	TECHLEM STRETCHERS
--	-----------------------







OEM REPLACEMENT MATTRESSES

Transforming the standard of stretcher support systems

Techlem patient surfaces and OEM replacement mattresses are handcrafted in North America with patients and medical professionals in mind. We use high grade materials sourced domestically to produce top quality products that are the envy of the industry.

Techlem is proud to offer a catalogue of customizable sizing and material options to suit your clinical requirements.



TECHLEM QUALITY:



LATEX-FREE Safe for use in hospital and clinical settings.



ANTI-BACTERIAL Foam and cover material.



DOUBLE INSULATED Keeping the core material intact and fully functional.



FLAME RETARDENT Meets or exceeds CTB 117. These features are available on all Techlem OEM replacement mattresses!



CUVERRO SHIELD BY AEREUS ANTIMICROBIAL COPPER COATING

CuVerro Shield[™] by Aereus Technologies is an antimicrobial permanent coating that is applied to create surfaces with 24/7 bacteria protection It's one-time application bonds to almost any hard surface mechanically, without altering it's design. This Aereus solution is cost-effective, medical grade and easy to clean.

- Kills bacterial matter virtually on contact. Remains effective after repeated contaminations.
- Inhibits the buildup and growth of bacteria between routine cleanings.
- Permanent, durable, excellent wear resistance. No need to reapply for the life of the product.



CUVERRO COPPER CONTINUOUSLY KILLS BACTERIA EVEN AFTER RECONTAMINATION

Why CuVerro Shield?






ACCESSORIES	5000	5000BR	5000W	1100/N	5000XR	7600	4500-N/NS	4500GYN	5000C/BR
Aereus Shield Side Rail Upgrade (B500A)	0	0	0	0	0	N/A	N/A	N/A	N/A
Knee Lift (5000KG)	0	0	0	0	0	N/A	O-N/A	N/A	N/A
Vertical O2 Tank Holder (4012)	0	0	0	0	0	S	0	0	N/A
Removable, Adjustable I.V. Pole (3113)	0	0	0	0	0	S	0	0	N/A
Push-Pull Handles Set (5009)	0	0	0	0	0	N/A	0	0	0
Push-Pull Handles, Aereus Set (5009A)	0	0	0	0	0	N/A	0	0	0
Permanent I.V. Pole (5010)	0	0	0	0	0	N/A	0	0	N/A
Permanent I.V. Pole, Aereus Shield (5010A)	0	0	0	0	0	N/A	0	0	N/A
Head/Footboard/Chart Holder (3101)	0	0	0	0	0	N/A	0	0	N/A
Litter Extension (3102)	0	0	0	0	0	N/A	0	N/A	N/A
.V. Armboard (5003)	0	0	0	0	0	N/A	0	0	N/A
Articulating Armboard (5005)	0	0	0	0	0	N/A	0	0	N/A
I.V. Tow Clamp (5004)	0	0	0	0	0	N/A	0	0	N/A
Restraint Straps (3104)	0	0	0	0	0	N/A	0	0	N/A
Safety Side Padding (5110)	0	0	0	0	0	N/A	N/A	N/A	N/A
Paper Holder (2109)	0	0	0	0	0	N/A	0	N/A	N/A
Food/Instrument Tray (5007)	0	0	0	0	0	N/A	0	0	N/A
Department I.D. Labels (5008)	S	S	S	S	S	0	S	S	N/A
Monitor Stand (5011)	0	0	0	0	0	N/A	0	0	N/A
Stirrups With Adapter (4108)	0	0	0	0	0	N/A	0	S	N/A
Integrated Utility Tray (5019)	S	N/A	N/A	S	S	N/A	S	S	N/A
Double Articulating Headrest (4015)	0	0	0	0	N/A	N/A	0	0	N/A
Utility Hitch For I.V. Pole (5004)	0	0	0	0	N/A	N/A	0	0	N/A
Lateral Wrist Rest (Optional for 4015) (401502)	0	0	0	0	N/A	N/A	0	0	N/A
Superior Wrist Rest (Optional For 4015) (401501)	0	0	0	0	N/A	N/A	0	0	N/A
Crank Fowler To Replace Pneumatic (5000C)	0	N/A	N/A	0	0	N/A	0	N/A	N/A
X-Ray Cassette Holder - Back Section (5014)	0	N/A	N/A	0	0	N/A	0	N/A	N/A
X-Ray Cassette Holder - Lateral C-Spine (5015)	0	N/A	N/A	0	0	N/A	0	N/A	N/A
Crank Fowler To Replace Pneumatic (5000XLC)	N/A	0	0	N/A	N/A	N/A	N/A	N/A	N/A
Extra Height Side-Rails Set (5111)	0	0	0	0	0	N/A	N/A	N/A	N/A
Head/Footboard/Chart Holder- Extra Wide (3101XL)	N/A	0	0	N/A	0	N/A	N/A	N/A	N/A
Litter Extension - Extra Wide (3102XL)	N/A	0	0	N/A	0	N/A	N/A	N/A	N/A
ntegrated Utility Tray - Extra Wide (5019XL)	N/A	S	S	N/A	0	N/A	N/A	N/A	N/A
Powered Actuator - Fowler (5020)	0	0	0	0	0	N/A	0	0	N/A
Powered Actuator - Knee Lift (5021)	0	0	0	0	0	N/A	0	N/A	N/A

ACCESSORIES	5000	5000BR	5000W	1100/N	5000XR	7600	4500-N/NS	4500GYN	5000C/BRC
X-Ray Fowler With Cassette Holder (5018)	0	N/A	N/A	0	0	N/A	0	0	N/A
X-Ray Fowler With Cassette Holder (5018XL)	N/A	0	0	N/A	N/A	N/A	N/A	N/A	N/A
Lift Sheet - Standard (7601C)	N/A	N/A	N/A	N/A	N/A	S	N/A	N/A	N/A
Lift Sheet - Cysto-Obstetrical (7602C)	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A	N/A
Lift Sheet - Cataract Sheet (7603C)	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A	N/A
Lift Sheet - Bath (7608C)	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A	N/A
Rod For Cataract Sheet (7621)	N/A	N/A	N/A	N/A	N/A	0	N/A	N/A	N/A
Integrated Scale (5022)	0	0	0	0	0	N/A	0	0	0

*TECHLEM MEDICAL CORPORATION RESERVES THE RIGHT TO MODIFY PARTS AND ACCESSORIES LIST, INCLUDING ADDITIONS, DISCONTINUATIONS.





1-800-387-4848

WWW.TECHLEM.COM